

JOHN ASTLEY & SONS LTD

MATERIAL SAFETY DATA SHEET

52560

18/01/07

PLEDGE WOOD POLISH SPRINGTIME

1. IDENTIFICATION OF CHEMICAL

Name of product: Pledge Wood Polish Springtime
Stock code: 52560 Size: 400ml Aerosol
Applications: Wood polish
Manufacturer: JohnsonDiversey UK Ltd
Weston Favell Centre,
Northampton, NN3 8PD
Tel 01604 405311 Fax 01604 406809
Out of hours emergencies 01604 401273
Distributor: John Astley & Sons Ltd,
Renown Avenue,
Coventry, CV5 6UF
Tel: (024) 7685 4545. Fax: (024) 7685 4515. E-mail: sales@astleys.co.uk

2. COMPOSITION

Hazardous ingredients:

Name	EINECS No.	CAS-No.	Content	Classification *
Naphtha (petroleum), hydrotreated heavy	265-150-3	64742-48-9	5-15%	Xn; R 10-65
Ingredients according to 89/542/EEC	Aliphatic hydrocarbons	5 - 15%	Non-ionic surfactants	< 5%
Perfumes, 2-Bromo-2-Nitropropane-1, 3-Diol, Butylphenyl methylpropional.	Benzyl salicylate,	Hexyl cinnamal,	Citronellol,	

* The text for all Risk-phrases is shown in section 16

3. HAZARDS IDENTIFICATION

Hazards: CAUTION: Pressurised container:
Protect from sunlight and do not expose to temperatures exceeding 50°C.
Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.
Keep out of the reach of children
Keep away from sources of ignition – do not smoke.

Intentional misuse by deliberate concentration and inhalation can be harmful or fatal.

4. FIRST AID MEASURES

Eye contact: Rinse immediately with plenty of water, holding the eyelids open and seek medical advice.
Inhalation: Remove from source of exposure. Seek medical advice if effects persist.
Skin contact: Wash thoroughly with soap and water.
Ingestion: Remove product from mouth, give the casualty a small quantity of water to drink and seek medical advice. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Dry chemical, water spray, foam, carbon dioxide.
Special Procedures: Flammable Aerosol, In the event of a fire there is a severe risk of explosion and flash, aerosols stored in quantities likely to present a hazard should be cooled with water or water spray if this can be done without risk to fire fighting personnel. May evolve harmful and noxious fumes if involved in a fire. Fire fighters should wear self-contained breathing apparatus.
Unusual Hazards: Carbon oxides may be formed. Aerosol product; - Containers may explode.

PLEDGE WOOD POLISH SPRINGTIME**6. ACCIDENTAL RELEASE MEASURES**

Personal Precaution: Appropriate personal protective equipment (see Section 8).

Environmental precautions: Accidental release would not normally occur with aerosols, However, if a can or cans were leaking then ensure good ventilation and that all sources of ignition are removed.

7. HANDLING AND STORAGE

Handling: Use only in well-ventilated areas. Avoid breathing vapours or spray mists. Avoid contact with skin and eyes. Do not puncture or incinerate.

Storage: Store upright in a dry, cool and well-ventilated area, in original containers. Keep away from heat. Keep away from sources of ignition. No smoking. Pressurized container: protect from sunlight and do not expose to temperatures in excess of 50 °C. Protect from freezing. Do not mix with other chemicals. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection: Personal protection is not normally required unless a risk assessment indicates the need for it.

Respiration: Do not inhale gases/ fumes/ aerosols.

Engineering controls: No special ventilation requirements. General room ventilation is adequate.

W E L: HSE EH40 Methanol, (Methyl Alcohol)
W.E.L. 333 mg/cu.m 15 min ref time
W.E.L. 266 mg/cu.m 8 hour TWA
Vapour can be absorbed through intact skin
F; R-11 Highly flammable
T; R-23/25 Toxic by inhalation and if swallowed

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Milky white aerosol.

Odour: Slightly perfumed.

Solubility: Fully miscible in water.

10. STABILITY AND REACTIVITY

Stability: The product is stable.

Conditions To Avoid: Excessive heat.

Hazardous

Decomposition products: Provided the product is stored in accordance with the approved guidelines there are no known hazardous decomposition products.

11. TOXICOLOGICAL INFORMATION

Eyes: Direct contact can damage the eye by freezing.

Skin: Direct contact can damage skin by freezing

Inhalation: Inhalation and ingestion may produce general narcotic effects such as central nervous system depression, drowsiness, dizziness, disorientation, behavioural changes and hypotension

Ingestion: Inhalation and ingestion may produce general narcotic effects such as central nervous system depression, drowsiness, dizziness, disorientation, behavioural changes and hypotension

JOHN ASTLEY & SONS LTD

MATERIAL SAFETY DATA SHEET

52560

18/01/07

PLEDGE WOOD POLISH SPRINGTIME

12. ECOLOGICAL INFORMATION

Ecotoxicity: When used for its intended purpose this product should not cause adverse effects in the environment.

13. DISPOSAL CONSIDERATIONS

Disposal: This product does not contain any prescribed substance under the Environmental Protection Act (Prescribed Processes and Substances) Regulations 1991 and is not classified as special waste under the Control of Substances (Special Waste) Regulations 1996, but is classified as controlled waste under the Environmental Protection Act 1990.
Do not puncture or throw into a fire, even when empty.
Place empty containers in a dustbin.
For disposal of unused or part used containers, contact a licensed waste management company.

European waste catalogue 16 05 05 Gases in pressure containers other than those mentioned in 16 05 04

14. TRANSPORT INFORMATION

International regulation:	UN No.	1950
	Proper Shipping Name:	Aerosols
	Label No.	2.2
	ADR/RID Class No.	2 5A Gases
Sea:	IMDG Class.	2
	EMS	F-D, S-U
	Marine Pollutant	No
Air:	ICAO/IATA Class	2
	UN No. Air.	1950

15. REGULATORY INFORMATION

**Classification
EC guidelines:** Classified as non-dangerous.

Safety phrases: S-23 Do not breath spray.
S-51 Use only in well-ventilated areas.
Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Keep out of the reach of children.

16. OTHER INFORMATION

Additional label phrases: Use only as directed.

**Text of risk phrases
listed in section 2**

R-10	Flammable.
R-65	Harmful: may cause ling damage if swallowed.
R-66	Repeated exposure may cause skin dryness or cracking.

DISCLAIMER

This information relates only to the specific material designated. Such information is, to the best of the company "s knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use

Issued 16th August 2005 Revision No.1